

HPE Networking Instant On Outdoor Access Points AP27



What's new

- Wi-Fi CERTIFIED 6™ support for up to 75 user devices.
- Provide Wi-Fi for the outdoors.
- IP67 rated for outdoor use from -45° to 145°F.
- The hardened external shell protects from rain, wind, and dust.
- Great at extending Wi-Fi to a patio,

Overview

The HPE Networking Instant On Outdoor Access Point AP27 is a dual radio outdoor access point designed to keep your employees and customers productive outdoors. This Wi-Fi CERTIFIED 6™ access point supports up to 75 simultaneous users and offers modern Wi-Fi standards in a robust, tough casing. These dual-band semi-directional radios offer impressive range and the same great features as other enterprise-class access

outdoor workspace, or curbside deliveries.

points, but without any ongoing subscription fees. The HPE Networking Instant On AP27 features integrated wall- or pole-mounting brackets in a ruggedized casing for flexible mounting configurations in outdoor environments. The HPE Networking Instant On Switch Series offers Power over Ethernet (PoE) 802.3af (Class 4) with a fully-integrated management experience in the Instant On mobile app or web portal.

Features

Built to Withstand the Elements

The HPE Networking Instant On Outdoor Access Point AP27 is water- and dust-resilient built to IP67 standards that make it suitable for outdoor use

The hardened outer shell is capable of withstanding the bitter cold and harsh temperatures of all seasons.

An operating temperature as low as -40°F and as high as 149°F makes the AP27 ideal for any environment.

Create a Custom Guest Access Experience

HPE Networking Instant On Outdoor Access Point AP27 creates a new avenue of revenue by providing connectivity to customers and employees in outside spaces

Guests and Employees experience quick and easy onboarding with the free-to-setup captive portal from the Instant On app, or a web portal.

Keep customers engaged and staying longer with easy and intuitive guest access and be sure employees are more productive with any time wireless access.

802.11ax Wi-Fi Certified 6

The HPE Networking Instant On Outdoor Access Point AP27 features Orthogonal Frequency-Division Multiple Access (OFDMA) which allows access points to handle multiple Wi-Fi 6 capable clients on each channel simultaneously, improving efficiency by boosting overall capacity and reducing latency.

Target Wake Time (TWT): Ideal for IoT devices that communicate infrequently, TWT establishes a schedule for when clients need to communicate with an AP, thereby reducing power consumption and extending client battery life.

Multiple Input, Multiple Output (MIMO) allows the access point to serve multiple clients (Wi-Fi 5 and Wi-Fi 6) simultaneously.

Technical specifications




HPE Networking Instant On Outdoor Access Points AP27

Certifications	Wi-Fi Certified 6
Input voltage	PoE: 802.3at (class 4) or 802.3af (class 3) DC power (12V)
Wi-Fi antenna	Dual semidirectional 2x2 MIMO
Connectivity, standard	Wi-Fi 11ax
Ports	1 GbE BaseT Uplink DC Power Connector LED status Indicators Reset/LED control button Kensington security slot
Mounting	Wall or Poll mount
Power consumption	14.6W
Radio coverage	Dual-Band 802.11ax 2x2 5Ghz/2.4Ghz MIMO
Warranty	HPE Networking Instant On 2-year

[For additional technical information, available models and options, please reference the QuickSpecs](#)

Make the right purchase decision.
Contact our presales specialists.

[Find a partner](#)



© Copyright 2024 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

Image may differ from the actual product
[PSN1014807466USEN](#), May, 2024.